			UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandra, Virginia 223 www.uspto.gov	Trademark Office OR PATENTS
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/618,965	07/19/2000	Robert S. French	003048.P010	2144
23363 7	590 10/09/2003		EXAM	INER
· · · · ·	ARKER & HALE, L	LE, DIEU MINH T		
SUITE 500.			ART UNIT	PAPER NUMBER
PASADENA,	CA 91105		2184	
			DATE MAILED: 10/09/2003	1

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
SUPPLEMENTAL	09/618,965	FRENCH ET AL.
Office Action Summary	Examiner	Art Unit
	Dieu-Minh Le	2184
The MAILING DATE of this communication		
 Period for Reply A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICATION Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communication If the period for reply specified above is less than thirty (30) days, If NO period for reply is specified above, the maximum statutory of Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b). 	ON. FR 1.136(a). In no event, however, may a on. a reply within the statutory minimum of thir period will apply and will expire SIX (6) MON statute, cause the application to become Al	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
Status		
1) \boxtimes Responsive to communication(s) filed on		
	This action is non-final.	
3) Since this application is in condition for a closed in accordance with the practice un Disposition of Claims		
4) Claim(s) <u>1-84</u> is/are pending in the applic	ation.	
4a) Of the above claim(s) is/are wit	hdrawn from consideration.	
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-84</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction a Application Papers	and/or election requirement.	
9) The specification is objected to by the Exa	miner.	
10) The drawing(s) filed on is/are: a) □	accepted or b) objected to by t	the Examiner.
Applicant may not request that any objection	to the drawing(s) be held in abey	ance. See 37 CFR 1.85(a).
11) The proposed drawing correction filed on	is: a) approved b)	disapproved by the Examiner.
If approved, corrected drawings are required	in reply to this Office action.	
12) The oath or declaration is objected to by th	e Examiner.	
Priority under 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for fo	preign priority under 35 U.S.C.	§ 119(a)-(d) or (f).
a) All b) Some * c) None of:		
1. Certified copies of the priority docur	ments have been received.	
2. Certified copies of the priority docur	ments have been received in A	Application No
3. Copies of the certified copies of the application from the Internationation from the Internation for a set the attached detailed Office action for a set of the attached detailed office action for attached detailed office action fo	al Bureau (PCT Rule 17.2(a)).	-
14) Acknowledgment is made of a claim for dor	nestic priority under 35 U.S.C.	§ 119(e) (to a provisional application).
a) The translation of the foreign languag 15) Acknowledgment is made of a claim for do		
Attachment(s)		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-94) Information Disclosure Statement(s) (PTO-1449) Paper Notes 	8) 5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)

~

This Office Action is superceded the previous office action mailed on 07/07/03 due to the typographical error found on page 3, paragraph 4; specifically, You patent number should be read as <u>6,158,045</u>, instead of 6,324,584. Also see the supplemental PTO-892 which includes the cited reference that was inadvertently omitted. The shortened statutory period for reply is now reset to expire three months from the mailing date of this communication.

Part III DETAILED ACTION

Specification

1. Claims 1-84 are presented for examination.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

4. Claims 1-84 are rejected under 35 U.S.C. § 103(a) as being unpatentable over You (US Patent 6,158,045) in view of Cardoza et al. (US Patent 5,630,049 hereafter referred to as Cardoza).

As per claim 1:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55] comprising:

- selecting a target construct for debugging [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];

- accessing data related to an operation of the target construct by a debug [col. 6, lines 13-16 and col. 64, lines 30-33];

You does not explicitly address:

- monitoring at least a portion of data without disturbing the operation.

However, You does disclose capability of:

Page 3

- an interactive debugging system and method in supporting the dynamic computer environment [col. 1, lines 18-30 8] comprising capabilities of:

- inspecting the state of the program via debugging [col. 6, lines 17-30];

- inspecting and controlling the execution of the program for its uninterrupted operation [col. 6, lines 38-52].

- debugging services used for debugging can be executed in microprocessor, register sizes, processor register, memory addresses, operating system, hardware debugging support, operating system debugging support, software, multitude of parameters, etc... [col. 9, lines 16-26];

- data encapsulation in various of information, such as process state, execution state, etc... in supporting the interactive debugging [col. 10, lines 1-7].

In addition, Cardoza explicitly teaches:

- a apparatus and method for testing and debugging in a computer network [abstract, col. 1, lines 5-10] comprising:

- status information on portion of the target operating system code or data without disturbing the operation [col. 5, lines 3-60];

- an isolated debugging environment for the computer resources (i.e., services) [col. 2, lines 35-41].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's invention to implement, first, to realize the You' s interactive debugging system and method in supporting the dynamic computer environment comprising capabilities of debugging services used for debugging can be executed in microprocessor, register sizes,

processor register, memory addresses, operating system, hardware debugging support, operating system debugging support, software, multitude of parameters, etc... and more specifically, inspecting the state of the program via debugging, and inspecting and controlling the execution of the program for its uninterrupted operation as being as being the monitoring at least a portion of data without disturbing the operation as claimed by Applicant since the You's interactive debugging system and method in supporting the dynamic computer environment does perform the data tracking, checking, inspection (i.e., data monitoring), and isolating failure in supporting the continuity networking operation. It would have further obvious to an ordinary skill in the art to set-up checkpoint to inspecting or monitoring data or portion of data in ensuring the execution of the system performed properly; second, one would modify the You' s interactive debugging system and method in supporting the dynamic computer environment to explicitly including the status information on portion of the target operating system code or data without disturbing the operation as taught by Cardoza's apparatus and method for testing and debugging in a computer network in supporting the interactive debugging within a computer data networking environment.

This modification would have been obvious because a person having ordinary skill in the art would have been motivated to do so to provide the connectivity among data processor, memory, input/output device and other networking computer devices with mechanism to enhance the data processing, more specifically to interactive debugging in supporting the network establishment error detection/correction for maximizing the data process

performance and throughput. In addition, by utilizing this approach, first, the hardware/software debugger testing system can ensure data error detected and corrected within its information services; second, the data/error control debugging system can operate with a high reliability, availability, and flexibility environment which eventually will increase its performance, such as data throughput between internal and external devices.

As per claim 2:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55] comprising:

- modifying at least portion of data [col. 6, lines 38-42];

- inspecting the state of the program via debugging [col. 6, lines 17-30].

As per claims 3-5:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55,] comprising:

- a target construct for debugging [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];

- select from group of a service, a socket, a service stack, a set of service, and a set of sockets [col. 52, lines 14-42, col. 56, lines 10-30, and col. 81, lines 26-33];

In addition, Cardoza explicitly teaches:

- a apparatus and method for testing and debugging in a computer network [abstract, col. 1, lines 5-10] comprising:

- status information on portion of the target operating system code or data without disturbing the operation [col. 5,

lines 3-60];

- booting and polling services [col. 14, lines 30-40];

- breakpoints and show call debugging services [col. 26, lines 18 through col. 27, lines 50].

As per claims 6-8:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55,] comprising:

- a target construct for debugging [col. 1, lines 32-44, col.
6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];
- selecting the target construct from a plurality of sockets
[col. 52, lines 14-42, col. 56, lines 10-30, and col. 81,
lines 26-33];

- information including a current state of services [col. 6, lines 45-52, col. 7, lines 28-40, and col. 75, lines 35-67].

In addition, Cardoza explicitly teaches:

- a apparatus and method for testing and debugging in a computer network [abstract, col. 1, lines 5-10] comprising:

- status information on portion of the target operating system code or data without disturbing the operation [col. 5,

lines 3-60];

- booting and polling services [col. 14, lines 30-40];

- breakpoints and show call debugging services [col. 26, lines 18 through col. 27, lines 50].

As per claims 9-12:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55,] comprising:

- a target construct for debugging [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];

- accessing corresponding to reading and writing to the memory
[col. 6, lines 38 through col. 7, line 10, col. 56, lines
1-9];

- modifying state [col. 6, lines 38-42];

- dynamically allocating the debug construct [col. 6, lines 20-30, and col. 87, lines 48-65.

You does not explicitly address:

- dynamically de-allocation the debug construct once monitoring completed.

However, You does disclose capability of:

- an interactive debugging system and method in supporting the dynamic computer environment [col. 1, lines 18-30 8]

comprising capabilities of :

- inspecting the state of the program via debugging [col. 6, lines 17-30];

- inspecting and controlling the execution of the program for its uninterrupted operation [col. 6, lines 38-52].

Page 8

- dynamically allocating the debug construct [col. 6, lines 20-30, and col. 87, lines 48-65.

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's invention to implement to realize the You's interactive debugging system and method in supporting the dynamic computer environment comprising capabilities inspecting the state of the program via debugging, and inspecting and controlling the execution of the program for its uninterrupted as well as dynamically allocating the debug construct operation as being as being the dynamically de-allocation the debug construct once monitoring completed as claimed by Applicant since the You' s interactive debugging system and method in supporting the dynamic computer environment does perform the inspection and allocation of data in a dynamically debugging environment. That in turn, the interactive debugging system would have been dynamically de-allocation the debugging in ordering the system to ensuring the process performed properly. It would have been obvious to an ordinary skill in the art to apply and allocation and de-allocation of debugging process to achieve the data debugging method.

As per claims 14-18 and 21:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55,] comprising:

- a target construct for debugging [col. 1, lines 32-44, col.6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];

- transmitting data to host system [col. 6, lines 26-30 and lines 53-55];

- transmitting based upon a request sent by a host application [col. 1, lines 38-45];

- an operating system determines which data is to be transmitted [col.7, lines 56 through col. 8, lines 8];

debug construct specifies data is to be transmitted [col.4, lines 45-50];

- notifying the debug construct upon a completion of operation [col. 8, lines 29-44 and lines 55-67].

- sending the request and transmitting the response are performed over a network [col. 1, lines 38-45].

As per claims 13 and 19:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55,] comprising:

- a target construct for debugging [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];

- accessing corresponding to reading and writing to the memory [col. 6, lines 38 through col. 7, line 10, col. 56, lines 1-9];

- modifying state [col. 6, lines 38-42];

- dynamically allocating the debug construct [col. 6, lines 20-30, and col. 87, lines 48-65.

You does not explicitly address:

- collecting statistic related to target and measuring bandwidth required to transmitted data.

However, You does disclose capability of:

- an interactive debugging system and method in supporting the dynamic computer environment [col. 1, lines 18-30]comprising capabilities of:

- performance measurement for it data transmission bottlenecks in improving data quality [col. 6, lines 26-30];

- dynamically information gathering [col. 6, lines 6-30].

- dynamically allocating the debug construct [col. 6, lines 20-30, and col. 87, lines 48-65.

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's invention to implement to realize the You's interactive debugging system and method in supporting the dynamic computer environment comprising capabilities performance measurement for it data transmission bottlenecks in improving data quality and dynamically information gathering operation as being as being the collecting statistic related to target and measuring bandwidth required to transmitted data as claimed by Applicant since the You's interactive debugging system and method in supporting the dynamic computer environment does deal with data access control, data gathering, data set breakpoint, data targeting in supporting the interactive debugging system. Therefore it would have been obvious to an ordinary skill in the art to apply You's interactive debugging capabilities for performing the bandwidth measurement and

collecting statistic related to target debugging process in ensuring the system operation performing uninterruptedly.

As per claims 20 and 22-23:

You substantially teaches the invention. You explicitly teaches:

- A method for interactive debugging [abstract, col. 1, lines 18-30, col. 5, lines 47-55,] comprising:

a target construct for debugging [col. 1, lines 32-44, col.
6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];
debugging performed in a multi-channel, multi-service

environment [col. 8, lines 55-67 and col. 79, lines 20-24];

- transmitting data to host system [col. 6, lines 26-30 and lines 53-55];

- transmitting based upon a request sent by a host application [col. 1, lines 38-45];

- an operating system determines which data is to be transmitted [col.7, lines 56 through col. 8, lines 8];

- debug construct specifies data is to be transmitted [col. 4, lines 45-50];

- allocating a copy of target construct in a simulated environment [col. 5, lines 61-67 and col. 41, lines 36-55].

- collecting data [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52, and col. 41, lines 35-55];

As per claim 24:

You substantially teaches the invention. You explicitly teaches:

- A method for multi-channel, multi-service debugging [col. 8, lines 55-67 and col. 79, lines 20-24] comprising:

providing information about service [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52];
selecting a target construct for debugging [col. 1, lines 32-44, col. 6, lines 7-10, col. 7, lines 49-52, and col.
41, lines 35-55];

You does not explicitly address:

- maintaining an isolated debugging environment for service.

However, You does disclose capability of:

- an interactive debugging system and method in supporting the dynamic computer environment [col. 1, lines 18-30 8] comprising capabilities of :

- runtime environment used for debugging (i.e., isolated environment) [col. 8, lines 8-16];

- runtime based function used for processing debugging [col. 65, lines 24-60].

In addition, Cardoza explicitly teaches:

- a apparatus and method for testing and debugging in a computer network [abstract, col. 1, lines 5-10] comprising:

- status information on portion of the target operating system code or data without disturbing the operation [col. 5, lines 3-60];

- an isolated debugging environment for the computer resources (i.e., services) [col. 2, lines 35-41].

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of Applicant's

invention to implement, first, to realize the You's interactive debugging system and method in supporting the dynamic computer environment comprising capabilities of debugging services used for debugging can be executed in microprocessor, register sizes, processor register, memory addresses, operating system, hardware debugging support, operating system debugging support, software, multitude of parameters, etc... and more specifically, runtime environment used for debugging (i.e., isolated environment) and runtime based function used for processing debugging operation as being as being the maintaining an isolated debugging environment for service as claimed by Applicant since the You's interactive debugging system and method in supporting the dynamic computer environment does perform the data tracking, checking, inspection (i.e., data monitoring), and isolating failure in supporting the continuity networking operation.

It would have further obvious to an ordinary skill in the art to keep the debugging environment to each of the service so that the debugging process can be tracked and resolved correctly without any interfering to other services; second, one would modify the You's interactive debugging system and method in supporting the dynamic computer environment to explicitly including an isolated debugging environment for the computer resources (i.e., services) as taught by Cardoza's apparatus and method for testing and debugging in a computer network in supporting the interactive debugging within a computer data networking environment.

This modification would have been obvious because a person having ordinary skill in the art would have been motivated to

Page 14

do so to provide the connectivity among data processor, memory, input/output device and other networking computer devices with mechanism to enhance the data processing, more specifically to interactive debugging in supporting the network establishment error detection/correction for maximizing the data process performance and throughput.

As per claims 25-41:

Due to the similarity of claims 25-41 to claims 2-24; Therefore, this claim is also rejected under the same rationale applied against claims 2-24. In addition, all of the limitations have been noted in the rejection as per claims 2-24.

As per claim 42:

Due to the similarity of claim 42 to claim 1 except for an apparatus for interactive debugging means (i.e., selecting a target means, accessing data means, monitoring data means, etc...) instead of a method for interactive debugging steps i.e., selecting a target steps, accessing data steps, monitoring data steps, etc...); Therefore, this claim is also rejected under the same rationale applied against claim 1. In addition, all of the limitations have been noted in the rejection as per claim 1.

As per claim 43:

Due to the similarity of claim 43 to claim 24 except for an apparatus for multi-channel, multi-service debugging means (i.e., providing information means, maintaining an isolated debugging means, selecting a target construct for

debugging means, etc...) instead of a method for multi-channel, multi-service debugging steps (i.e., providing information steps, maintaining an isolated debugging steps, selecting a target construct for debugging steps, etc...); Therefore, this claim is also rejected under the same rationale applied against claim 24. In addition, all of the limitations have been noted in the rejection as per claim 24.

As per claim 44-66:

Due to the similarity of claims 44-66 to claims 1-23 except for an apparatus for interactive debugging capabilities (i.e., a target construct, accessing data, monitoring data, etc...) instead of a method for interactive debugging steps (i.e., a target construct steps, accessing data steps, monitoring data steps, etc...); Therefore, these claims are also rejected under the same rationale applied against claims 1-23. In addition, all of the limitations have been noted in the rejection as per claims 1-23.

As per claim 67-80:

Due to the similarity of claims 67-80 to claims 24-43 except for an apparatus for multi-channel, multi-service debugging capabilities (i.e., providing information, maintaining an isolated debugging, selecting a target construct for debugging, etc...) instead of a method for multi-channel, multi-service debugging steps (i.e., providing information steps, maintaining an isolated debugging steps, selecting a target construct for debugging steps, etc...); Therefore, these claims are also rejected under the same rationale applied against claims 24-43.

In addition, all of the limitations have been noted in the rejection as per claims 24-43.

As per claim 81:

Due to the similarity of claim 81 to claim 1 except for a system for interactive debugging capabilities (i.e., selecting a target, accessing data, monitoring data, etc...) instead of a method for interactive debugging steps (i.e., selecting a target steps, accessing data steps, monitoring data steps, etc...). Therefore, this claim is also rejected under the same rationale applied against claim 1. In addition, all of the limitations have been noted in the rejection as per claim 1.

As per claim 82:

Due to the similarity of claim 82 to claim 24 except for a system for multi-channel, multi-service debugging capabilities (i.e., providing information, maintaining an isolated debugging, selecting a target construct for debugging, etc...) instead of a method for multi-channel, multi-service debugging steps (i.e., providing information steps, maintaining an isolated debugging steps, selecting a target construct for debugging steps, etc...). Therefore, this claim is also rejected under the same rationale applied against claim 24. In addition, all of the limitations have been noted in the rejection as per claim 24.

As per claim 83:

This claim is the same as per claim 1. The only minor different is that this claim is directed to a computer readable

Page 17

medium instead of the method for interactive debugging steps as described in claim 1. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to realized that a computer readable medium is a necessary item for such a data processing networking system, more specifically, data debugging communication system. Since the data processing and debugging networking system obviously needs a means for instruction or code means resided within the computer readable medium for performing the data debugging, monitoring, reading, writing, storing, receiving, transmitting operation via the interactively debugging capability and via the multi-channel, multi-service debugging capabilities. Therefore, this claim is also rejected under the same rationale applied against claim 1.

As per claim 84:

This claim is the same as per claim 24. The only minor different is that this claim is directed to a computer readable medium instead of a method for multi-channel, multiservice debugging steps as described in claim 24. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to realized that a computer readable medium is a necessary item for such a data processing networking system, more specifically, data debugging communication system. Since the data processing and debugging networking system obviously needs a means for instruction or code means resided within the computer readable medium for performing the data debugging, monitoring, reading, writing, storing, receiving, transmitting operation via the interactively debugging capability and via the multi-channel, multi-service

debugging capabilities. Therefore, this claim is also rejected under the same rationale applied against claim 24.

<u>Conclusion</u>

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

6. A shortened statutory period for response to this action is set to expired THREE (3) months, ZERO days from the date of this letter. Failure to respond within the period for response will cause the application to be abandoned. 35 U.S.C. 133.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dieu-Minh Le whose telephone number is (703) 305-9408. The examiner can normally be reached on Monday-Thursday from 6:30 AM to 4:00 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Beausoliel, can be reached on (703)305-9713. The fax phone number for this Group is (703)746-7240.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-3900.

Any response to this action should be mailed to: Commissioner of Patents and Trademarks Washington, D.C. 20231 or faxed to: (703) 746-7239, (for formal communications intended for entry) Or:

> (703) 746-7240 (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

DIEU-MINH THAI LE PRIMARY EXAMINER ART UNIT 2184

DML 9/29/03